

Bldg ID: X034

P.S. 34 - BRONX

Geo District: 10

Bldg Address: 770 GROTE STREET

Survey Principal: SHANIE JOHNSON

Room No	2019 - 2020 Org Name	Room Number Changed		2018 - 2019 Room Function	2019 - 2020 Room Function	Primary Function Used %	Sharing Y/N
		Room SQFT	AC				
101	X188 SPED - BRONX	2400	Y	AUDITORIUM	AUDITORIUM	50 - 100	N
101A	X188 SPED - BRONX	195	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
102	X188 SPED - BRONX	228	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
103	X188 SPED - BRONX	540	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
104	X188 SPED - BRONX	60	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
105	X188 SPED - BRONX	96	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
105A	X188 SPED - BRONX	264	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
105B	X188 SPED - BRONX	494	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
106	X188 SPED - BRONX	725	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
107	X188 SPED - BRONX	392	Y	PRINCIPAL'S OFFICE	PRINCIPAL'S OFFICE	50 - 100	N
109	X188 SPED - BRONX	638	Y	GENERAL/MAIN OFFICE	GENERAL/MAIN OFFICE	50 - 100	N
110	X188 SPED - BRONX	260	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
112	X188 SPED - BRONX	1372	Y	OT/PT	OT/PT	50 - 100	N
112A	X188 SPED - BRONX	112	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
113	X188 SPED - BRONX	119	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
115	X188 SPED - BRONX	700	Y	NURSE/MEDICAL SUITE	NURSE/MEDICAL SUITE	50 - 100	N
123	X188 SPED - BRONX	391	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
125	X188 SPED - BRONX	468	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
125A	X188 SPED - BRONX	60	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
127	X188 SPED - BRONX	1984	Y	STUDENT CAFETERIA	STUDENT CAFETERIA	50 - 100	N
127A	X188 SPED - BRONX	1716	Y	KITCHEN	KITCHEN	50 - 100	N
127B	X188 SPED - BRONX	80	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
127C	X188 SPED - BRONX	112	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
201ABC	X188 SPED - BRONX	468	Y	SPEECH	SPEECH	50 - 100	N
202	X188 SPED - BRONX	468	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
202B	X188 SPED - BRONX	54	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
203	X188 SPED - BRONX	713	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
204	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
206	X188 SPED - BRONX	459	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N

Bldg ID: X034

P.S. 34 - BRONX

Geo District: 10

Bldg Address: 770 GROTE STREET

Survey Principal: SHANIE JOHNSON

Room No	2019 - 2020 Org Name	Room Number Changed		2018 - 2019 Room Function	2019 - 2020 Room Function	Primary Function Used %	Sharing Y/N
		Room SQFT	AC				
206A	X188 SPED - BRONX	170	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
207	X188 SPED - BRONX	546	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
207A	X188 SPED - BRONX	150	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
208	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
208A	X188 SPED - BRONX	170	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
209	X188 SPED - BRONX	506	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
210	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
217	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
217B	X188 SPED - BRONX	170	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
219	X188 SPED - BRONX	500	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
221ABC	X188 SPED - BRONX	468	Y	SPEECH	SPEECH	50 - 100	N
223	X188 SPED - BRONX	713	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
223A	X188 SPED - BRONX	140	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
227	X188 SPED - BRONX	500	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
233ABC	X188 SPED - BRONX	392	Y	SPEECH	SPEECH	50 - 100	N
300	X188 SPED - BRONX	143	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
301	X188 SPED - BRONX	3074	Y	GYMNASIUM	GYMNASIUM	50 - 100	N
301A	X188 SPED - BRONX	104	Y	COACH'S OFFICE	COACH'S OFFICE	50 - 100	N
301C	X188 SPED - BRONX	288	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
302	X188 SPED - BRONX	208	Y	AP'S OFFICE	AP'S OFFICE	50 - 100	N
304	X188 SPED - BRONX	108	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
305	X188 SPED - BRONX	675	Y	LIBRARY	LIBRARY	50 - 100	N
306	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
307	X188 SPED - BRONX	432	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
310	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
312	X188 SPED - BRONX	336	Y	AP'S OFFICE	AP'S OFFICE	50 - 100	N
314	X188 SPED - BRONX	1064	Y	OTHER SHOP ROOM	OTHER SHOP ROOM	50 - 100	N
315	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
319	X188 SPED - BRONX	500	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N

Bldg ID: X034

P.S. 34 - BRONX

Geo District: 10

Bldg Address: 770 GROTE STREET

Survey Principal: SHANIE JOHNSON

Room No	Added Room		Room Number Changed		2019 - 2020 Room Function	Primary Function Used %	Sharing Y/N
	2019 - 2020 Org Name	Room SQFT	AC	2018 - 2019 Room Function			
325A	X188 SPED - BRONX	180	Y	KITCHEN	KITCHEN	50 - 100	N
327	P.S. 754 SPED - BRONX	968	Y	D75 SPED CLASSROOM	HOME ECONOMICS	50 - 100	N
327A	X188 SPED - BRONX	260	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
3RDFL	X188 SPED - BRONX	1443	Y	STUDENT CAFETERIA	STUDENT CAFETERIA	50 - 100	N
401	X188 SPED - BRONX	135	Y	SPEECH	SPEECH	50 - 100	N
402AB	X188 SPED - BRONX	255	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
403	X188 SPED - BRONX	60	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
404	X188 SPED - BRONX	324	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
406	X188 SPED - BRONX	520	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
407	X188 SPED - BRONX	700	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
409AB	X188 SPED - BRONX	450	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
410	X188 SPED - BRONX	546	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
412A	X188 SPED - BRONX	364	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
412B	X188 SPED - BRONX	364	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
414	X188 SPED - BRONX	728	Y	NURSE/MEDICAL SUITE	NURSE/MEDICAL SUITE	50 - 100	N
417	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
421	X188 SPED - BRONX	500	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
423	X188 SPED - BRONX	135	Y	SPEECH	SPEECH	50 - 100	N
425	X188 SPED - BRONX	60	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
429	X188 SPED - BRONX	525	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
433	X188 SPED - BRONX	672	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
433A	X188 SPED - BRONX	112	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
433B	X188 SPED - BRONX	140	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B10	X188 SPED - BRONX	136	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
B13	X188 SPED - BRONX	483	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B14	X188 SPED - BRONX	779	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B15	X188 SPED - BRONX	368	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B18	X188 SPED - BRONX	60	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B2	X188 SPED - BRONX	728	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N

Bldg ID: X034


P.S. 34 - BRONX

Geo District: 10

Bldg Address: 770 GROTE STREET

Survey Principal: SHANIE JOHNSON

 **Added Room**

 **Room Number Changed**

Room No	2019 - 2020 Org Name	Room SQFT	AC	2018 - 2019 Room Function	2019 - 2020 Room Function	Primary Function Used %	Sharing Y/N
B3 (BR)	X188 SPED - BRONX	3900	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
B6	X188 SPED - BRONX	416	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
B7	X188 SPED - BRONX	170	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B8	X188 SPED - BRONX	170	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
B9	X188 SPED - BRONX	6375	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N

How many hallway bathrooms for students are there in your building?	31
Are any of the student bathrooms being shared by multiple schools?	Y
Are all the student bathrooms open throughout the day?	Y
Please identify the number of non-instructional spaces, not reported above, being used for instructional purposes, academic intervention services, or therapeutic or counseling services:	0
Are any of those non-instructional spaces being shared?	N

Physical Education Instruction and Spaces:

Space Used for PE:	Percent %
Gymnasium	100
Cafeteria	0
Auditorium	0
Fitness Room	0
School yard (excluding recess time)	0
Facility outside of the building (list name and location)	0
Other - (please specify)	0