

Bldg ID: X082

I.S. 232 - BRONX

Geo District: 9

Bldg Address: 1700 MACOMBS ROAD

Survey Principal: DESIREE RESTO

Room No	Added Room		Room Number Changed		2017 - 2018 Room Function	Primary Function Used %	Sharing Y/N
	2017 - 2018 Org Name	Room SQFT	AC	2016 - 2017 Room Function			
111	I.S. 232 - BRONX	621	Y	PARENT'S ROOM	NON-D75 SPED CLASSROOM	50 - 100	N
112	I.S. 232 - BRONX	700	Y	D75 SPED CLASSROOM	NON-D75 SPED CLASSROOM	50 - 100	N
154	I.S. 232 - BRONX	320	N	KITCHEN	KITCHEN	50 - 100	N
159	I.S. 232 - BRONX	200	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
160	I.S. 232 - BRONX	144	Y	OTHER OFFICE	GENERAL BUILDING SUPPORT	50 - 100	N
201	I.S. 232 - BRONX	616	Y	ICT - MIDDLE SCHOOL GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
202	SCHOOL BASED HEALTH CENTER - BRONX	936	Y	NURSE/MEDICAL SUITE	NURSE/MEDICAL SUITE	50 - 100	N
203	I.S. 232 - BRONX	384	Y	D75 SPED CLASSROOM	NON-D75 SPED CLASSROOM	50 - 100	N
204	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
205	I.S. 232 - BRONX	920	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
206	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
207	I.S. 232 - BRONX	651	Y	ICT - MIDDLE SCHOOL GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
207A	I.S. 232 - BRONX	240	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
207C	I.S. 232 - BRONX	190	Y	AP'S OFFICE	GUIDANCE OFFICE	50 - 100	N
208	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
209	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	ICT - MIDDLE SCHOOL GRADES	50 - 100	N
211	I.S. 232 - BRONX	616	Y	GENERAL/MAIN OFFICE	GENERAL/MAIN OFFICE	50 - 100	N
211A	I.S. 232 - BRONX	80	N	STORAGE ROOM	STORAGE ROOM	50 - 100	N
212	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
213	I.S. 232 - BRONX	588	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
214	I.S. 232 - BRONX	644	Y	REGULAR CLASSROOM - MS GRADES	ICT - MIDDLE SCHOOL GRADES	50 - 100	N
252	I.S. 232 - BRONX	77	N	OTHER OFFICE	OTHER OFFICE	50 - 100	N
257	I.S. 232 - BRONX	266	Y	PRINCIPAL'S OFFICE	CONFERENCE ROOM	50 - 100	N
258	I.S. 232 - BRONX	216	Y	OTHER OFFICE	PRINCIPAL'S OFFICE	50 - 100	N
263	I.S. 232 - BRONX	396	Y	RECORD ROOM	SBST	50 - 100	N
301	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
302	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N

Bldg ID: X082

I.S. 232 - BRONX

Geo District: 9

Bldg Address: 1700 MACOMBS ROAD

Survey Principal: DESIREE RESTO

Room No	Added Room		Room Number Changed		2017 - 2018 Room Function	Primary Function Used %	Sharing Y/N
	2017 - 2018 Org Name	Room SQFT	AC	2016 - 2017 Room Function			
303	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
304	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
305	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
306	I.S. 232 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	ICT - MIDDLE SCHOOL GRADES	50 - 100	N
307	I.S. 232 - BRONX	966	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
307D	I.S. 232 - BRONX	207	Y	AP'S OFFICE	GUIDANCE OFFICE	50 - 100	N
308	I.S. 232 - BRONX	616	Y	D75 SPED CLASSROOM	REGULAR CLASSROOM - MS GRADES	50 - 100	N
309	I.S. 232 - BRONX	616	Y	ICT - MIDDLE SCHOOL GRADES	ICT - MIDDLE SCHOOL GRADES	50 - 100	N
310	I.S. 232 - BRONX	440	Y	ACADEMIC INTERVENTION SERVICES	ACADEMIC INTERVENTION SERVICES	50 - 100	N
311	I.S. 232 - BRONX	616	Y	D75 SPED CLASSROOM	REGULAR CLASSROOM	50 - 100	N
312	I.S. 232 - BRONX	408	Y	ICT - MIDDLE SCHOOL GRADES	D75 SPED CLASSROOM	50 - 100	N
313	I.S. 232 - BRONX	968	Y	MULTI-PURPOSE CLASSROOM	MUSIC ROOM	50 - 100	N
314	I.S. 232 - BRONX	920	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
351	I.S. 232 - BRONX	156	Y	GUIDANCE OFFICE	AP'S OFFICE	50 - 100	N
357	I.S. 232 - BRONX	240	Y	TEACHER'S ROOM	TEACHER'S ROOM	50 - 100	N
401	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N
402	ACADEMY FOR LANGUAGE & TECH - X	616	Y	NON-D75 SPED CLASSROOM	NON-D75 SPED CLASSROOM	50 - 100	N
404	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N
405/3	ACADEMY FOR LANGUAGE & TECH - X	1242	Y	STORAGE ROOM	MULTI-PURPOSE CLASSROOM	50 - 100	N
406	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N
407	ACADEMY FOR LANGUAGE & TECH - X	924	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
408	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	COMPUTER LAB	50 - 100	N
409	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N
410	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N
411	ACADEMY FOR LANGUAGE & TECH - X	616	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
412	ACADEMY FOR LANGUAGE & TECH - X	588	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N

Bldg ID: X082

I.S. 232 - BRONX

Geo District: 9

Bldg Address: 1700 MACOMBS ROAD

Survey Principal: DESIREE RESTO

Room No	2017 - 2018 Org Name	Added Room		Room Number Changed		2017 - 2018 Room Function	Primary Function Used %	Sharing Y/N
		Room SQFT	AC	2016 - 2017 Room Function	2017 - 2018 Room Function			
413	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
414	ACADEMY FOR LANGUAGE & TECH - X	960	Y	GENERAL/MAIN OFFICE	GENERAL/MAIN OFFICE	50 - 100	N	
415	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
416	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
417	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
418	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
419	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
420	ACADEMY FOR LANGUAGE & TECH - X	616	Y	REGULAR CLASSROOM - HS GRADES	REGULAR CLASSROOM - HS GRADES	50 - 100	N	
451	ACADEMY FOR LANGUAGE & TECH - X	156	Y	AP'S OFFICE	SETSS	50 - 100	N	
452	ACADEMY FOR LANGUAGE & TECH - X	230	Y	GUIDANCE OFFICE	SCIENCE PREP ROOM	50 - 100	N	
452A	ACADEMY FOR LANGUAGE & TECH - X	160	N	STORAGE ROOM	STORAGE ROOM	50 - 100	N	
459	ACADEMY FOR LANGUAGE & TECH - X	240	Y	SOCIAL WORKER/COUNSELOR	SOCIAL WORKER/COUNSELOR	50 - 100	N	
460	ACADEMY FOR LANGUAGE & TECH - X	276	Y	GUIDANCE OFFICE	GUIDANCE OFFICE	50 - 100	N	
501	I.S. 303 - BRONX	567	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
502	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
503	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
504	I.S. 303 - BRONX	616	N	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
505	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N	
506	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
507	I.S. 303 - BRONX	960	Y	GENERAL/MAIN OFFICE	GENERAL/MAIN OFFICE	50 - 100	N	
508	I.S. 303 - BRONX	616	N	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
509	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
510	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
511	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	
512	I.S. 303 - BRONX	616	N	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N	

Bldg ID: X082

I.S. 232 - BRONX

Geo District: 9

Bldg Address: 1700 MACOMBS ROAD

Survey Principal: DESIREE RESTO

Added Room

Room Number Changed

Room No	2017 - 2018 Org Name	Room SQFT	AC	2016 - 2017 Room Function	2017 - 2018 Room Function	Primary Function Used %	Sharing Y/N
513	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
514	I.S. 303 - BRONX	960	Y	ART ROOM	ART ROOM	50 - 100	N
515	I.S. 303 - BRONX	616	N	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
516	I.S. 303 - BRONX	616	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
551	I.S. 303 - BRONX	168	Y	RESOURCE ROOM	RESOURCE ROOM	50 - 100	N
552	I.S. 303 - BRONX	184	Y	GUIDANCE OFFICE	GUIDANCE OFFICE	50 - 100	N
552A	I.S. 303 - BRONX	160	N	ACADEMIC INTERVENTION SERVICES	ACADEMIC INTERVENTION SERVICES	50 - 100	N
559	I.S. 303 - BRONX	240	Y	DUPLICATING/COPY ROOM	DUPLICATING/COPY ROOM	50 - 100	N
AUD	I.S. 232 - BRONX	5063	N	AUDITORIUM	AUDITORIUM	50 - 100	N
CAF	I.S. 232 - BRONX	4233	N	STUDENT CAFETERIA	STUDENT CAFETERIA	50 - 100	N
CAFA	I.S. 303 - BRONX	252	N	STORAGE ROOM	STORAGE ROOM	50 - 100	N
GYM3	I.S. 232 - BRONX	4452	N	GYMNASIUM	GYMNASIUM	50 - 100	N
GYM5	I.S. 303 - BRONX	2968	N	GYMNASIUM	GYMNASIUM	50 - 100	N
101	I.S. 232 - BRONX	441	N		OTHER OFFICE		N
553A	I.S. 303 - BRONX	133	N		OTHER OFFICE		N
558	COMMUNITY BASED ORGANIZATION - BRONX	88	N		OTHER OFFICE		N

How many hallway bathrooms for students are there in your building?	18
Are any of the student bathrooms being shared by multiple schools?	Y
Are all the student bathrooms open throughout the day?	Y
Please identify the number of non-instructional spaces, not reported above, being used for instructional purposes, academic intervention services, or therapeutic or counseling services:	0
Are any of those non-instructional spaces being shared?	N

Physical Education Instruction and Spaces:

Space Used for PE:	Percent %
Gymnasium	100
Cafeteria	0
Auditorium	0
Fitness Room	0
School yard (excluding recess time)	0
Facility outside of the building (list name and location)	0
Other - (please specify)	0