

Bldg ID: X368

M.S./H.S. 368 - BRONX

Geo District: 10

Bldg Address: 2975 TIBBETT AVENUE

Survey Principal: STEPHEN SELTZER

Room No	2018 - 2019 Org Name	Room		2017 - 2018 Room Function	2018 - 2019 Room Function	Primary Function Used %	Sharing Y/N
		SQFT	AC				
101B	M.S./H.S. 368 - BRONX	380	Y	PRINCIPAL'S OFFICE	PRINCIPAL'S OFFICE	50 - 100	N
103	M.S./H.S. 368 - BRONX	720	Y	GENERAL/MAIN OFFICE	GENERAL/MAIN OFFICE	50 - 100	N
103A	M.S./H.S. 368 - BRONX	286	Y	RECORD ROOM	RECORD ROOM	50 - 100	N
103B	M.S./H.S. 368 - BRONX	364	Y	DUPLICATING/COPY ROOM	DUPLICATING/COPY ROOM	50 - 100	N
103F	M.S./H.S. 368 - BRONX	441	Y	CONFERENCE ROOM	CONFERENCE ROOM	50 - 100	N
104	M.S./H.S. 368 - BRONX	392	Y	OTHER SHOP ROOM	OTHER SHOP ROOM	50 - 100	N
105	M.S./H.S. 368 - BRONX	374	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
106	M.S./H.S. 368 - BRONX	3510	Y	LIBRARY	LIBRARY	50 - 100	N
106B	M.S./H.S. 368 - BRONX	204	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
106C	M.S./H.S. 368 - BRONX	200	Y	SPEECH	SPEECH	50 - 100	N
106D	M.S./H.S. 368 - BRONX	288	Y	SPEECH	SPEECH	50 - 100	N
106E	M.S./H.S. 368 - BRONX	200	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
109	X721 SPED - BRONX	486	Y	NURSE/MEDICAL SUITE	NURSE/MEDICAL SUITE	50 - 100	N
110	X721 SPED - BRONX	570	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
111	X721 SPED - BRONX	570	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
112	X721 SPED - BRONX	570	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
113	X721 SPED - BRONX	570	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
114	X721 SPED - BRONX	570	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
115	X721 SPED - BRONX	570	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
116	X721 SPED - BRONX	476	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
117	X721 SPED - BRONX	510	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
118	X721 SPED - BRONX	390	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
119	X721 SPED - BRONX	750	Y	D75 SPED CLASSROOM	D75 SPED CLASSROOM	50 - 100	N
120	X721 SPED - BRONX	132	Y	PRINCIPAL'S OFFICE	PRINCIPAL'S OFFICE	50 - 100	N
123	SCHOOL BASED HEALTH CENTER - BRONX	725	Y	OTHER ORGANIZATION	OTHER ORGANIZATION	50 - 100	N
125	M.S./H.S. 368 - BRONX	312	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
127	M.S./H.S. 368 - BRONX	1216	Y	GUIDANCE OFFICE	GUIDANCE OFFICE	50 - 100	N
129	COMMUNITY BASED ORGANIZATION - BRONX	780	Y	OTHER ORGANIZATION	OTHER ORGANIZATION	50 - 100	N

Bldg ID: X368

M.S./H.S. 368 - BRONX

Geo District: 10

Bldg Address: 2975 TIBBETT AVENUE

Survey Principal: STEPHEN SELTZER

Added Room

Room Number Changed

Room No	2018 - 2019 Org Name	Room SQFT	AC	2017 - 2018 Room Function	2018 - 2019 Room Function	Primary Function Used %	Sharing Y/N
131	M.S./H.S. 368 - BRONX	330	Y	TEACHER'S ROOM	TEACHER'S ROOM	50 - 100	N
132/136	M.S./H.S. 368 - BRONX	6160	Y	STUDENT CAFETERIA	STUDENT CAFETERIA	50 - 100	N
137	M.S./H.S. 368 - BRONX	522	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
139	M.S./H.S. 368 - BRONX	510	Y	TEACHER'S CAFETERIA	TEACHER'S CAFETERIA	50 - 100	N
141	M.S./H.S. 368 - BRONX	528	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
143	M.S./H.S. 368 - BRONX	348	Y	WEIGHT ROOM	WEIGHT ROOM	50 - 100	N
145	M.S./H.S. 368 - BRONX	348	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
147	M.S./H.S. 368 - BRONX	464	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
150	M.S./H.S. 368 - BRONX	522	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
151	M.S./H.S. 368 - BRONX	91	Y	SOCIAL WORKER/COUNSELOR	SOCIAL WORKER/COUNSELOR	50 - 100	N
153	M.S./H.S. 368 - BRONX	378	Y	SOCIAL WORKER/COUNSELOR	SOCIAL WORKER/COUNSELOR	50 - 100	N
155	M.S./H.S. 368 - BRONX	360	Y	PARENT'S ROOM	PARENT'S ROOM	50 - 100	N
157	M.S./H.S. 368 - BRONX	986	Y	GUIDANCE OFFICE	GUIDANCE OFFICE	50 - 100	N
159	M.S./H.S. 368 - BRONX	600	Y	SOCIAL WORKER/COUNSELOR	SOCIAL WORKER/COUNSELOR	50 - 100	N
161	M.S./H.S. 368 - BRONX	210	Y	SOCIAL WORKER/COUNSELOR	SOCIAL WORKER/COUNSELOR	50 - 100	N
163	M.S./H.S. 368 - BRONX	270	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
188A	M.S./H.S. 368 - BRONX	1665	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
190A	M.S./H.S. 368 - BRONX	1364	Y	GENERAL BUILDING SUPPORT	GENERAL BUILDING SUPPORT	50 - 100	N
201	M.S./H.S. 368 - BRONX	899	Y	REGULAR CLASSROOM - MS GRADES	REGULAR CLASSROOM - MS GRADES	50 - 100	N
202	M.S./H.S. 368 - BRONX	564	Y	OTHER SHOP ROOM	OTHER SHOP ROOM	50 - 100	N
203	M.S./H.S. 368 - BRONX	1518	Y	MUSIC ROOM	MUSIC ROOM	50 - 100	N
204	M.S./H.S. 368 - BRONX	987	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
206	M.S./H.S. 368 - BRONX	1128	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
206A	M.S./H.S. 368 - BRONX	247	Y	CONFERENCE ROOM	CONFERENCE ROOM	50 - 100	N
207	M.S./H.S. 368 - BRONX	72	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
209	M.S./H.S. 368 - BRONX	133	Y	OTHER OFFICE	OTHER OFFICE	50 - 100	N
211/311	M.S./H.S. 368 - BRONX	5312	Y	AUDITORIUM	AUDITORIUM	50 - 100	N
213	M.S./H.S. 368 - BRONX	169	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
214	M.S./H.S. 368 - BRONX	288	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
215	M.S./H.S. 368 - BRONX	575	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N

Bldg ID: X368

M.S./H.S. 368 - BRONX

Geo District: 10

Bldg Address: 2975 TIBBETT AVENUE

Survey Principal: STEPHEN SELTZER

Added Room

Room Number Changed

Room No	2018 - 2019 Org Name	Room SQFT	AC	2017 - 2018 Room Function	2018 - 2019 Room Function	Primary Function Used %	Sharing Y/N
217	M.S./H.S. 368 - BRONX	418	Y	FUNDED - ESL	FUNDED - ESL	50 - 100	N
219	M.S./H.S. 368 - BRONX	540	Y	FUNDED - ESL	FUNDED - ESL	50 - 100	N
220	M.S./H.S. 368 - BRONX	945	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
221	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
223	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
225	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
226	M.S./H.S. 368 - BRONX	280	Y	AP'S OFFICE	AP'S OFFICE	50 - 100	N
227	M.S./H.S. 368 - BRONX	390	Y	DEAN'S OFFICE	DEAN'S OFFICE	50 - 100	N
229	M.S./H.S. 368 - BRONX	390	Y	STAFF DEVELOPMENT	STAFF DEVELOPMENT	50 - 100	N
231	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
232	M.S./H.S. 368 - BRONX	7738	Y	GYMNASIUM	GYMNASIUM	50 - 100	N
233	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
235	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
237	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
239	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
241	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
242	M.S./H.S. 368 - BRONX	208	Y	AP'S OFFICE	AP'S OFFICE	50 - 100	N
243	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
245	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
247	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
249	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
251	M.S./H.S. 368 - BRONX	450	Y	NON-D75 SPED CLASSROOM	NON-D75 SPED CLASSROOM	50 - 100	N
253	M.S./H.S. 368 - BRONX	544	Y	NON-D75 SPED CLASSROOM	NON-D75 SPED CLASSROOM	50 - 100	N
301	M.S./H.S. 368 - BRONX	874	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
302	M.S./H.S. 368 - BRONX	1160	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
303	M.S./H.S. 368 - BRONX	437	Y	SCIENCE PREP ROOM	SCIENCE PREP ROOM	50 - 100	N
304	M.S./H.S. 368 - BRONX	1298	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
305	M.S./H.S. 368 - BRONX	646	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
306	M.S./H.S. 368 - BRONX	840	Y	SCIENCE PREP ROOM	SCIENCE PREP ROOM	50 - 100	N
307	M.S./H.S. 368 - BRONX	868	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
309	M.S./H.S. 368 - BRONX	374	Y	AP'S OFFICE	AP'S OFFICE	50 - 100	N
313	M.S./H.S. 368 - BRONX	459	Y	NON-D75 SPED CLASSROOM	NON-D75 SPED CLASSROOM	50 - 100	N
317	M.S./H.S. 368 - BRONX	480	Y	AP'S OFFICE	AP'S OFFICE	50 - 100	N

Bldg ID: X368

M.S./H.S. 368 - BRONX

Geo District: 10

Bldg Address: 2975 TIBBETT AVENUE

Survey Principal: STEPHEN SELTZER

 **Added Room**

 **Room Number Changed**

Room No	2018 - 2019 Org Name	Room SQFT	AC	2017 - 2018 Room Function	2018 - 2019 Room Function	Primary Function Used %	Sharing Y/N
318	M.S./H.S. 368 - BRONX	1015	Y	SCIENCE LAB	SCIENCE LAB	50 - 100	N
321	M.S./H.S. 368 - BRONX	1092	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
325	M.S./H.S. 368 - BRONX	1431	Y	COMPUTER LAB	COMPUTER LAB	50 - 100	N
326	M.S./H.S. 368 - BRONX	1748	Y	ART ROOM	ART ROOM	50 - 100	N
329	M.S./H.S. 368 - BRONX	672	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
331	M.S./H.S. 368 - BRONX	672	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
333	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
335	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
337	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
339	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
341	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
342	M.S./H.S. 368 - BRONX	180	Y	DEAN'S OFFICE	DEAN'S OFFICE	50 - 100	N
343	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
344	M.S./H.S. 368 - BRONX	1248	Y	ART ROOM	ART ROOM	50 - 100	N
345	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
347	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
349	M.S./H.S. 368 - BRONX	700	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
351	M.S./H.S. 368 - BRONX	644	Y	REGULAR CLASSROOM	REGULAR CLASSROOM	50 - 100	N
353	M.S./H.S. 368 - BRONX	300	Y	STORAGE ROOM	STORAGE ROOM	50 - 100	N
KITCHEN	M.S./H.S. 368 - BRONX	7654	Y	KITCHEN	KITCHEN	50 - 100	N

How many hallway bathrooms for students are there in your building? **23**

Are any of the student bathrooms being shared by multiple schools? **Y**

Are all the student bathrooms open throughout the day? **N**

Please identify the number of non-instructional spaces, not reported above, being used for instructional purposes, academic intervention services, or therapeutic or counseling services: **0**

Are any of those non-instructional spaces being shared? **N**

Physical Education Instruction and Spaces:

Space Used for PE:	Percent %
Gymnasium	50
Cafeteria	0
Auditorium	0
Fitness Room	0
School yard (excluding recess time)	50
Facility outside of the building (list name and location)	0
Other - (please specify)	0